



## AUDI R8 LMS GT3





**Approval Date:** October-06-2012

**Official Use Start Date:** October-10-2012

**Official Use Close Date:** -- -- --







# AUDI R8 LMS GT3



## Plastic parts:

1. Body
2. Right side view mirror \*
3. Left side view mirror \*
4. Front grill
5. Rear diffuser (area shown in green may be recessed)
6. Windshield wiper \*
7. Fuel cap \*
8. Left side body reinforcement
9. Right side body reinforcement
10. Front lights support (x2)
11. Right side metal body mount
12. Left side metal body mount
13. Rear wing
14. Right side air intake
15. Left side air intake
16. Muffler (x 2)
17. Rear lights support
18. Radiator
19. Rear upper grill
20. Headlights (x2)



## Transparent parts:

- A - Windshield
- B - Right side headlight
- C - Left side headlight
- D - Right side brake light
- E - Left side brake light
- F - Rear window

## Metallic parts:

- F - Front grill
- G - Right side grill \*
- H - Left side grill \*
- I - Rear left grill \*
- J - Rear right grill \*


\* Required only at the start of a competition.

## AUDI R8 LMS GT3




### Body dimensions, at rest, without chassis:

A - Minimum weight without light kit : (+5gr with lights)	55 gr
B - Maximum weight without light kit :(+5gr with lights)	60 gr
C - Total front (wheel arch to wheel arch) width:	82 mm
D - Total rear (wheel arch to wheel arch) width:	82 mm
E - Wheelbase	110 mm
F - Body minimum height	45 mm
G- Rear wing frontal height	40,0 mm
H- Rear wing rear height	41 mm
I- Body to chassis (lower plate) minimum height. Measured at the center.	0 mm
J- Body to track minimum height	1 mm



### Body dimensions, at rest, with chassis:

K- Total length	185 mm
L - Body maximum front interior width (measured from wheel arch to wheel arch, next to body posts):	75 mm
M - Body maximum rear interior width (measured from wheel arch to wheel arch, next to body posts):	77 mm



### Allowed modifications:

- Rear wing: Foam, with a maximum thickness of 5mm, may be used to reinforce the rear wing - as indicated in black in the adjacent photo. The supports and their original positions must be respected. Replacement rear wing ref. SC-7905b is allowed.
- Interior: Lightweight interior ref. SC-7905 is allowed. It is not permitted to alter the length of the interior.
- Radiator: The Lightweight radiator, part of kit ref. SC-7905 is allowed.
- Windows: The original windows can be replaced. The rear windows may be painted, as indicated in green in the adjacent photo.
- Side mirrors: Can be replaced with appropriate 1/24 scale injected plastic or rubber alternatives.

