



SRT Viper GTS-R




Approval Date: April-30-2014

Official Use Start Date: April-30-2014

Official Use Close Date: -- -- --



SRT Viper GTS-R



Plastic parts:





1. Body
2. Right side view mirror*
3. Left side view mirror*
4. Lateral air intake
5. Side muffler (2)
6. Windshield wiper*
7. Fuel cap (2)
8. Front grill
9. Headlight bucket (2)
10. Hood air intake
11. Right side body reinforcement
12. Left side body reinforcement
13. Rear wing (both versions allowed)
14. Inferior and superior rear diffuser

Transparent parts:

- A - Windshield
 B - Headlight cover (2)
 C - Fog light cover (2)*
 D - Headlight bulb (2)
 E - Fog light bulb (2) ,
 F - Rear lights (2)
 G - Rear window


Metallic parts:

- H - Front grill*
 I - Hood grill (2)*
 J - Rear grill*
 K - Rear air outlet grill (5)*
 L - Metal body mount (2)




* Required only at the start of a competition.

SRT Viper GTS-R



Body dimensions, at rest, without chassis:

A - Minimum weight without light kit : (+5gr with lights)	55 gr
B - Maximum weight without light kit :(+5gr with lights)	60 gr
C - Total front (wheel arch to wheel arch) width:	82 mm
D - Total rear (wheel arch to wheel arch) width:	83 mm
E - Wheelbase	106 mm
F - Body minimum height	45 mm
G- Rear wing frontal height	35 mm
H- Rear wing rear height	41 mm
I - Body to chassis (lower plate) minimum height. Measured at the center.	1.0mm
J- Body to track minimum height.	2.0 mm



Body dimensions, at rest, with chassis:

K- Total length (without rear wing)	188 mm
L - Body maximum front interior width:	74 mm
M- Body maximum rear interior width:	82 mm



*L/M: measured from wheel arch to wheel arch, next to body posts.

Allowed modifications:

- Rear wing: Foam, with a maximum thickness of 5mm, may be used to reinforce the rear wing - as indicated in black in the adjacent photo. The supports and their original positions must be respected. Replacement rear wing ref. SC-7908b is allowed.
- Interior. Lightweight interior ref. SC-7908 is allowed. The windows must remain original from the injected body kit, shown in green in the adjacent photo, may be painted.
- Side mirrors: Can be replaced with appropriate 1/24 scale injected plastic or rubber alternatives.

